



**Sortimo®**  
Intelligent Mobility

CATALOGUE 04/2017



# MOBILE WORKSTATION FOR MAXIMUM FLEXIBILITY!



[sortimo.com](http://sortimo.com)

# CONTENTS

Foreword .....	Pg. 3
Multi-functionality .....	Pg. 4
Flexibility .....	Pg. 6
Product overview .....	Pg. 8
WorkMo Width 2, Height 500 .....	Pg. 10
WorkMo Width 2, Height 750 .....	Pg. 14
WorkMo Width 3, Height 500 .....	Pg. 18
WorkMo Width 3, Height 750 .....	Pg. 19
WorkMo Width 4, Height 500 .....	Pg. 20
WorkMo Width 4, Height 750 .....	Pg. 21
Flexible in price .....	Pg. 22
WorkMo Roller .....	Pg. 26
Worktops and worktables .....	Pg. 28
Clamping system .....	Pg. 34
WorkMo accessories .....	Pg. 36
L-BOXX .....	Pg. 42
T-BOXX .....	Pg. 44
Metal cases .....	Pg. 45
Dividers for drawers .....	Pg. 46
Load securing ProSafe .....	Pg. 48
Secure in estate cars .....	Pg. 52
Sortimo at your service .....	Pg. 54



# FOREWORD

You know Sortimo as a producer of **van racking systems** but Sortimo is much more than that. Our solution WorkMo, which is much more than a means of transport, is the living proof of this statement.

**WorkMo stands for Work Mobility.** We have developed a multifunctional system for you to use as workshop equipment, transport system, mobile workshop and work bench. So you start your day in your workshop by choosing which modules will be needed for your jobs, and just roll them out to your vehicle. They are quickly secured with our ProSafe System and off you go to your job site. Everything you need can be brought onto your job site, in next to no time, thanks to the mobile WorkMo module. And all that without once having to reload your tools and your machines. Believe it or not it gets even better: because when you are on site you can expand your WorkMo into a work bench, enabling you to make adjustments directly at your place of operation, professionally, cleanly and tidily.

WorkMo is compatible with our unique range of BOXXes, just like all of our Sortimo products. Our one of a kind clicking system as well as the countless possibilities to divide and subdivide make it especially easy for you to organise your workday. With the unlimited variety of our BOXXes program, including the BOXXes partnerships we have built up with leading manufacturers, and the range of contents associated with this, we have created an EcoSystem as an unique selling point. BOSCH for example utilises the L-BOXXes as outer packaging for its power tools. Indeed other partners such as FÖRCH, GEDORE and FISCHER offer complete packages consisting of L-BOXXes with contents. And now the L-BOXX is a common term in the market and has already been sold over 10 million times.

It is our challenge to make your workday as easy as possible. We are living that challenge with WorkMo – experience it live for yourself!

Yours

**Reinhold Braun**  
Managing Director of Sortimo International GmbH



▶ FOR MOBILITY

▶ FOR INDEPENDENCE

▶ FOR ORGANISATION

# FOR YOUR WORK-PLACE!

## WORKMO AT A GLANCE

- ▶ made out of impact-resistant hard plastic
- ▶ robust operation
- ▶ rounded edges
- ▶ lockable
- ▶ extendable at any time
- ▶ compatible with Sortimo BOXXes and case product range
- ▶ comprehensive accessories
- ▶ combines transport, organisation and work
- ▶ ergonomic working height
- ▶ long service lifespan
- ▶ can be integrated in the vehicle


WorkMo meets the exact requirements of your **personal workday.**



## FOR EVERYBODY

- ▶ who does not carry out their services directly in the vehicle but wishes to transport the equipment to the construction site efficiently.
- ▶ who is searching for a lightweight, modular and flexible mobile workshop.
- ▶ who wishes to organise his/her workplace individually and expects an optional expandable system.
- ▶ who wishes to use the space in the loading area differently every day, as the loading scope varies from bulky to small parts.
- ▶ who primarily is not looking for a permanently installed van racking but a multi-functional transport system.
- ▶ who needs to make adjustments at their place of operation and requires a mobile work bench for this.
- ▶ who loves organisation!
- ▶ who works professionally!

## ▶ WORKMO IN MOTION



The individual WorkMo modules are extremely portable and easy to secure in the vehicle. Remove quickly from the vehicle, set up and start. After a long workday it is up to you whether you secure the WorkMo with practical accessories and leave it where it is, or put everything back into your module and use it as a transport box for your tools. Completely individual and flexible – **THAT IS THE WORKMO PRINCIPLE!**



# MAXIMUM FLEXIBILITY




## ▶ ARRANGEMENT SYSTEM

WorkMo consists of **portable modules** for the storage of tools, which can be combined and connected by means of a practical connecting clamp. The interior of these elements can be equipped to meet your **individual requirements** with drawers, shelves, BOXXes or case slides. The system remains mobile at the same time, due to its modular construction and can be quickly separated into portable units for both the loading and the transport in the vehicle.



## ▶ MOBILITY RIGHT UP TO THE CONSTRUCTION SITE

The components are **quickly transported from the workshop to the vehicle and from the vehicle to the construction site** by means of a roller board or permanent roller adapters. Depending on the place of operation, stackable functional modules can be selected and put together to make up a work station.



## ▶ WORKING

The WorkMo added value becomes really clear at your place of operation: the modules can be put together as a tool case, work bench, worktable, or made up to an **entire work station** by means of the WorkMo accessories. With the aid of the holders for accessories, multiple sockets, worktop and clamping system with which every possible adjustment can be made to your construction parts on site.



## ▶ LOAD SECURING

Sortimo provides an additional **WorkMo load securing package** which enables a suitable securing of the module in the loading area. The unique **ProSafe load securing system** from Sortimo enables a quick and simple lashing of the module on the floor.



▶ ALWAYS READY FOR USE

On the jobsite you can construct a **professional work place** by just plugging and playing.



**WorkMo** stands for “**Work Mobility**” which is the name of the new **transport, arrangement and work system from Sortimo**, a stackable functional series of modules which can even be locked onto each other. **The combination of van racking system, tool case and mobile work bench** as well as the resulting multi-functionality, makes it unique in its form – **that's simply Sortimo.**



ALL L-BOXXES FROM OUR **SYSTEM PARTNERS**, SUCH AS **BOSCH, FÖRCH, GEDORE, FISCHER** AND LOTS MORE, ARE COMPATIBLE WITH WORKMO.



# INDIVIDUAL CONFIGURATION

MAX. PAYLOAD: 100 KG  
MAX. COVER STRAIN: 100 KG

▶ WORKTOPS AND WORK TABLES **WIDTH 2** PAGE 28-35



▶ WORKTOP **WIDTH 3** PAGE 28



▶ WORKTOP **WIDTH 4** PAGE 28



▶ **MODULE WIDTH 2** PAGE 10 - 17



The modules, **width 2**, can be combined with all BOXXes, cases or drawers.

▶ **MODULE WIDTH 3** PAGE 18 - 19



The modules, **width 3**, can be combined with various drawers, standard shelves or aluminium drop-down fronts.

▶ **MODULE WIDTH 4** PAGE 20 - 21



The modules, **width 4**, can be combined with BOXXes, cases, drawers or aluminium drop-down fronts.

▶ **SIDES AND ACCESSORIES** AS OF PAGE 34

You can **individualise** your own WorkMo to meet exactly your requirements by means of a variety of accessories.



MODULE  
WIDTH 2  
HEIGHT 500




MODULE  
WIDTH 2  
HEIGHT 750

▶ **ROLLER WIDTH 2** PAGE 26/27



MODULE  
WIDTH 3  
HEIGHT 500



MODULE  
WIDTH 3  
HEIGHT 750

▶ **ROLLER WIDTH 3** PAGE 26/27




MODULE  
WIDTH 4  
HEIGHT 500



MODULE  
WIDTH 4  
HEIGHT 750

▶ **ROLLER WIDTH 4** PAGE 26/27



The WorkMo modules are available in **three widths and two heights** and can be combined with each other in various combinations.



# READY FOR WORK

STANDARD MODULE HEIGHT 500 WIDTH 2



FOR L-BOXSES

Equip the WorkMo functional module with the popular L-BOXX. It is very robust and holds up to almost any challenge thanks to its method of construction; made of **impact and shock resistant** ABS plastic it is extremely resilient. Heavy materials, small components or tools can be transported with the L-BOXX. You are **perfectly equipped** at every job site with it.



**WORKMO 24-500**  
WO 24-500  
Ref. No. 1000003611  
Dimensions (WxHxD): 526 x 506 x 396 mm  
Weight: 6.4 kg

The **L-BOXX** is used by well-known manufacturers such as BOSCH, FÖRCH or GEDORE as outer packaging for tools or consumables. You may possibly already have one of our **partner L-BOXXes** in your possession which you could integrate in the WorkMo.



**WORKMO 24-500**  
**WIDTH 2**  
SET WO 24-500 2BB  
Ref. No. 1000003814  
Dimensions (WxHxD): 526 x 506 x 396 mm  
Weight: 10.2 kg  
incl. 2 Box shelves  
Suitable for 1 L-BOXX 238 and 1 L-BOXX 102.



**WORKMO 24-500**  
**WIDTH 2**  
SET WO 24-500 LB4  
Ref. No. 1000003821  
Dimensions (WxHxD): 526 x 506 x 396 mm  
Weight: 15.0 kg  
incl. 2 Box shelves  
1 x L-BOXX 238 empty  
1 x L-BOXX 102 empty



CONFIGURATE



**WORKMO 24-500**  
**WIDTH 2**  
SET WO 24-500 3BB  
Ref. No. 1000003813  
Dimensions (WxHxD): 526 x 506 x 396 mm  
Weight: 11.4 kg  
incl. 3 Box shelves  
Suitable for 3x L-BOXX 102 oder 1x L-BOXX 136 und 2x L-BOXX 102



**WORKMO 24-500**  
**WIDTH 2**  
SET WO 24-500 LB1  
Ref. No. 1000003815  
Dimensions (WxHxD): 526 x 506 x 396 mm  
Weight: 16.7 kg  
incl. 3 Box shelves  
3 x L-BOXX 102 empty



**WORKMO 24-500**  
**WIDTH 2**  
SET WO 24-500 LB2  
Ref. No. 1000003819  
Dimensions (WxHxD): 526 x 506 x 396 mm  
Weight: 17.9 kg  
incl. 3 Box shelves  
1 x L-BOXX 136 empty  
2 x L-BOXX 102 empty



**WORKMO 24-500**  
**WIDTH 2**  
SET WO 24-500 LB3  
Ref. No. 1000003820  
Dimensions (WxHxD): 526 x 506 x 396 mm  
Weight: 16.4 kg  
incl. 3 Box shelves  
2 x L-BOXX 136 empty  
1 Box shelf as a storage shelf

# READY FOR WORK

STANDARD MODULE HEIGHT 500 WIDTH 2    **FOR DRAWERS AND THE MULTISLIDE**

Drawers are the perfect storage place for tools and consumables which are required on a daily basis. They provide plenty of storage space and **keep everything in order**. The drawer panels are made of impact-resistant hard plastic and thereby meet daily requirements. By **integrating a MultiSlide** you can equip your WorkMo at will, with either drawers or BOXXes or a mix.



**WORKMO 24-500 WIDTH 2**  
**WO 24-500 SBL+MS**  
 Ref. No. 1000003747  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 14.7 kg  
 incl. 2 Drawers Height 6, MultiSlide to pull out



**WORKMO 24-500 WIDTH 2**  
**SET WO 24-500 MS1**  
 Ref. No. 1000003826  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 17.2 kg  
 incl. 2 Drawers Height 6, MultiSlide to pull out, 1 L-BOX 136 empty



**WORKMO 24-500 WIDTH 2**  
**WO 24-500 SBL6**  
 Ref. No. 1000003702  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 18.6 kg  
 incl. 4 Drawers Height 6

**THE UNIVERSAL CABINET**



**WORKMO 24-500 WIDTH 2**  
**WO 24-500 UST**  
 Ref. No. 1000003748  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 11.6 kg  
 incl. universal cabinet door and key

The WorkMo can be turned into a safe on your job site, in the vehicle or in the workshop by means of its **lockable door**. Measuring devices, tools or even wallets and valuables can be securely stowed away here. The universal cabinet contains two standard shelves.



**WORKMO 24-500 WIDTH 2**  
**WO 24-500 3SBL H8**  
 Ref. No. 1000004553  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 17.3 kg  
 incl. 3 drawers height 8

▶ All interior measurements of the drawers can be found on page 21.

STANDARD MODULE HEIGHT 500 WIDTH 2    **FOR T-BOXES AND METAL CASES**



**WORKMO 24-500 WIDTH 2**  
**WO 24-500 STB**  
 Ref. No. 1000003732  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 7.5 kg  
 incl. 8 Service case rails  
 Suitable for 4 T-BOXXes or 4 Small Components Cases 320 or 321.



**WORKMO 24-500 WIDTH 2**  
**WO 24-500 4KS**  
 Ref. No. 1000003914  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 16.7 kg  
 incl. 4 Case trays  
 Suitable for 4 Small Components Cases 320 or 321.



**WORKMO 24-500 WIDTH 2**  
**SET WO 24-500 TB1**  
 Ref. No. 1000003823  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 17.0 kg  
 incl. 8 Service case rails, 4 x T-BOXX H Standard.



**WORKMO 24-500 WIDTH 2**  
**SET WO 24-500 KS1**  
 Ref. No. 1000003916  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 30.1 kg  
 incl. 4 Case trays, 4 x Metal cases



**WORKMO 24-500 WIDTH 2**  
**SET WO 24-500 TB3**  
 Ref. No. 1000003825  
 Dimensions (WxHxD): 526 x 506 x 396 mm  
 Weight: 20.7 kg  
 incl. 8 Service case rails, 4 x Metal cases

Integrate T-BOXXes and Metal cases via service case rails or practical case trays with **full extension function**.



**SMALL COMPONENTS CASE 321 E**  
**KM 321 E**  
 Ref. No. 5228055  
 Dimensions (LxWxH): 440 x 330 x 66 mm  
 Weight: 3.4 kg  
 Equipped with: 12 x Inset boxes A3 red, 6 x Inset boxes B3 yellow, 3 x Inset boxes C3 blue, 2 x Inset boxes D3 green



**T-BOXX H STANDARD**  
**STB 321 H**  
 Ref. No. 51011476  
 Dimensions (LxWxH): 440 x 350 x 80 mm  
 Weight: 2.3 kg  
 Equipped with: 6 x Inset boxes A3 red, 4 x Inset boxes B3 yellow, 1 x Inset box G3 dark green, 2 x Inset boxes F3 orange, 1 x Inset box D3 green, 2 x Inset boxes C3 blue

▶ More Small Components Cases and T-BOXXes can be found as of page 42 or in the **Mobile Assortments catalogue**.

# READY FOR WORK

STANDARD MODULE HEIGHT 750 WIDTH 2  FOR EVEN MORE ORGANISATION

## MORE WORKING SPACE

The WorkMo modules in height 750 offer even more storage space for tools, small parts and consumables. Use the full height as storage space for your BOXXes and cases or equip your WorkMo with drawers or the MultiSlide. In combination with the work top, the WorkMo 750 reaches an ideal working height of 80 cm for hard work so that you are able to work joint-friendly at the construction site as well.



**WORKMO 24-750**  
**WO 24-750**  
 Ref. No. 1000004428  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 7.2 kg



**WORKMO 24-750**  
**WO 24-750 4BB**  
 Ref. No. 1000004460  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 14.7 kg  
 incl. 4 box floors  
 Suitable for 4 L-BOXXes 136



**WORKMO 24-750**  
**WO 24-750 SBL 3BB**  
 Ref. No.: 1000004464  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 19.1 kg  
 incl. 2 drawers height 6 and 3 box floors  
 Suitable for 1 L-BOXX 102 and 2 L-BOXXes 136




**WORKMO 24-750**  
**WO 24-750 4BB B**  
 Ref. No. 1000004461  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 24.7 kg  
 incl. 4 box floors 24-0 and 4 L-BOXXes 136 empty



**WORKMO 24-750**  
**WO 24-750 SBL 3BB B**  
 Ref. No. 1000004465  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 26 kg  
 incl. 2 drawers height 6 and 3 box floors, 1 L-BOXX 102 empty and 2 L-BOXXes 136 empty

► All interior measurements of the drawers can be found on page 21.

STANDARD MODULE HEIGHT 750 WIDTH 2  FOR EVEN MORE ORGANISATION



**WORKMO 24-750**  
**WO 24-750 5BB**  
 Ref. No. 1000004462  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 16.4 kg  
 incl. 5 box floors  
 Suitable for 5 L-BOXXes 102




**WORKMO 24-750**  
**WO 24-750 5BB B**  
 Ref. No. 1000004463  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 26.4 kg  
 incl. 5 box floors and 5 L-BOXXes 102

## THE UNIVERSAL CABINET



**WORKMO 24-750**  
**UNIVERSAL CABINET**  
**WO 24-750 UST**  
 Ref. No.: 1000004466  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 20.4 kg  
 incl. 1 drawer height 6, 1 drawer height 8, universal cabinet door with two shelves

With the **lockable door**, the WorkMo becomes a locker at the construction site, in the vehicle or in the workshop. Measuring devices, tools or also wallet and valuables find a safe place here. The universal cabinet includes two standard shelves.



## FLEXIBLE ADAPTATION

WorkMo adapts to your demands. You have the choice between two heights for your well-being: You have to carry out hard work, then opt for the WorkMo in height 750. If you rather have to make fine adjustments, you should stack two WorkMo 500 on top of each other in order to arrive at the ideal working height of one metre.

► More Small Components Cases and T-BOXXes can be found as of page 42 or in the Mobile Assortments catalogue.



# READY FOR WORK

STANDARD MODULE HEIGHT 750 WIDTH 2



FOR EVEN MORE ORGANISATION



**WORKMO 24-750**  
**WO 24-750 SBL1**  
 Ref. No. 1000004431  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 26.4 kg  
 incl. 5 drawers height 6 and 1 drawer height 8



**WORKMO 24-750**  
**WO 24-750 SBL FB1**  
 Ref. No.: 1000004438  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 22.7 kg  
 incl. 4 drawers height 6 and open shelf drop front height 8



**WORKMO 24-750**  
**WO 24-750 SBL3**  
 Ref. No. 1000004432  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 24.7 kg  
 incl. 1 drawer height 6 and 4 drawers height 8



**WORKMO 24-750**  
**WO 24-750 SBLMS2**  
 Ref. No. 1000004441  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 18.7 kg  
 incl. 1 drawer height 6, 1 drawer height 8, 2 MultiSlides  
 Suitable for 2 L-BOXXes 136



**WORKMO 24-750**  
**WO 24-750 SBLMS1**  
 Ref. No. 1000004443  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 17.4 kg  
 incl. 1 drawer height 6 and 3 MultiSlides  
 Suitable for 2 L-BOXXes 102 and 1 L-BOXX 136



**WORKMO 24-750**  
**WO 24-750 SBLMS2B**  
 Ref. No.: 1000004442  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 23.7 kg  
 incl. 1 drawer height 6, 1 drawer height 8, 2 MultiSlides, 2 L-BOXXes 136 empty



**WORKMO 24-750**  
**WO 24-750 SBLMS1B**  
 Ref. No. 1000004444  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 24 kg  
 incl. 1 drawer height 6 and 3 MultiSlides, 1 L-BOXX 136 empty and 2 L-BOXXes 102 empty




**WORKMO 24-750**  
**WO 24-750 SBLMS4**  
 Ref. No. 1000004445  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 22.6 kg  
 incl. 3 drawers height 6, 1 drawer height 8, 1 MultiSlide  
 Suitable for 1 L-BOXX 136



**WORKMO 24-750**  
**WO 24-750 SBLMS4B**  
 Ref. No. 1000004446  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight 25 kg  
 incl. 3 drawers height 6, 1 drawer height 8, 1 MultiSlide  
 1 L-BOXX 136 empty

STANDARD MODULE HEIGHT 750 WIDTH 2



FOR EVEN MORE ORGANISATION



**WORKMO 24-750**  
**WO 24-750 KS1**  
 Ref. No. 1000004447  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 8.7 kg  
 incl. 8 service case rails  
 Suitable for 1 L-BOXX 102 and 3 L-BOXXes 136



**WORKMO 24-750**  
**WO 24-750 KS1B**  
 Ref. No. 1000004448  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 18.1 kg  
 incl. 8 service case rails, 3 x L-BOXXes 136 and 1 L-BOXX 102



**WORKMO 24-750**  
**WO 24-750 SBL**  
 Ref. No. 1000004458  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 15.1 kg  
 incl. 1 drawer height 6, 1 drawer height 8 and 8 service case rails  
 Suitable for 4 T-BOXXes



**WORKMO 24-750**  
**WO 24-750 SBL KS B**  
 Ref. No. 1000004459  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 24.8 kg  
 incl. drawer height 6, 1 drawer height 8 and 8 service case rails, 4 x T-BOXXes H standard



**WORKMO 24-750**  
**WO 24-750 4KSS**  
 Ref. No. 1000004467  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 24.5 kg  
 incl. 1 drawer height 6, 1 drawer height 8 and 4 case trays  
 Suitable for 4 small components cases 320 or 321



**WORKMO 24-750**  
**WO 24-750 SBL 4KSSB**  
 Ref. No. 1000004468  
 Dimensions (WxHxD): 526 x 744 x 396 mm  
 Weight: 38 kg  
 incl. 1 drawer height 6, 1 drawer height 8, 4 case trays, 4 small components cases KM321E

► All interior measurements of the drawers can be found on page 21.

► More Small Components Cases and T-BOXXes can be found as of page 42 or in the Mobile Assortments catalogue.

# READY FOR WORK

STANDARD MODULE HEIGHT 500 WIDTH 3



FOR EVEN MORE ORGANISATION

The WorkMo Module width 3 provides **even more storage space** for your consumables and tools. The functional modules can be equipped with drawers and an additional aluminium drop-down front can be selected **for large tools and machines**.



**WORKMO 34-500**  
**WO 34-500 SBL6**  
 Ref. No. 1000003703  
 Dimensions (WxHxD): 789 x 506 x 396 mm  
 Weight: 24.1 kg  
 incl. 4 Drawers Height 6



**WORKMO 34-500**  
**WO 34-500 SBL+FBK**  
 Ref. No. 1000003789  
 Dimensions (WxHxD): 789 x 506 x 396 mm  
 Weight: 20.2 kg  
 incl. 2 Drawers Height 6,  
 aluminium drop-down front Height 8



**WORKMO 34-500**  
**WO 34-500 SBL 8**  
 Ref. No. 1000003791  
 Dimensions (WxHxD): 789 x 506 x 396 mm  
 Weight: 22.0 kg  
 incl. 3 Drawers Height 8

STANDARD MODULE HEIGHT 750 WIDTH 3



FOR EVEN MORE ORGANISATION



**WORKMO 34-750**  
**WO 34-750 SBL1**  
 Ref. No. 1000004434  
 Dimensions (WxHxD): 789 x 744 x 396 mm  
 Weight: 37.1 kg  
 incl. 5 drawers height 6 and  
 1 drawer height 8



**WORKMO 34-750**  
**WO 34-750 SBL 2**  
 Ref. No. 1000004436  
 Dimensions (WxHxD): 789 x 744 x 396 mm  
 Weight: 34.2 kg  
 incl. 2 drawers height 6,  
 2 drawers height 8 and  
 1 drawer height 10



**WORKMO 34-750**  
**WO 34-750 SBL FB2**  
 Ref. No. 1000004454  
 Dimensions (WxHxD): 789 x 744 x 396 mm  
 Weight: 31.3kg  
 incl. 3 drawers height 6, 1 drawer height 8  
 and 1 standard shelf with plastic slides  
 Suitable for 1 L-BOXX 136 and  
 1 S-BOXX 04-9



**WORKMO 34-750**  
**WO 34-750 SBL FB2B**  
 Ref. No. 1000004455  
 Dimensions (WxHxD): 789 x 744 x 396 mm  
 Weight: 34.3 kg  
 incl. 3 drawers height 6,  
 1 drawer height 8 and 1 standard shelf  
 with plastic slides, 1 L-BOXX 136 empty  
 and 1 S-BOXX 04-9



**WORKMO 34-750**  
**WO 34-750 SBL FB1**  
 Ref. No. 1000004439  
 Dimensions (WxHxD): 789 x 744 x 396 mm  
 Weight: 31.7 kg  
 incl. 4 drawers height 6,  
 1 open shelf with drop-down front



DETACHABLE



► All interior measurements of the drawers can be found on page 21.

► More Small Components Cases and T-BOXXes can be found as of page 42 or in the **Mobile Assortments catalogue**.

# READY FOR WORK

**STANDARD MODULE HEIGHT 500 WIDTH 4** FOR DRAWERS, BOXES AND STANDARD SHELVES

The WorkMo Module width 4 provides you with a wide variety of possibilities for the transportation of diverse materials, tools and machines. The **largest functional module** from the series can be equipped with **drawers, BOXEs and aluminium drop-down fronts**.



**WORKMO 44-500**  
**WO 44-500 SBL6**  
 Ref. No. 1000003704  
 Dimensions (WxHxD): 1052 x 506 x 396 mm  
 Weight: 29.6 kg  
 incl. 4 Drawers Height 6



**WORKMO 44-500**  
**WO 44-500 SBL+FBK**  
 Ref. No. 1000003790  
 Dimensions (WxHxD): 1052 x 506 x 396 mm  
 Weight: 25.0 kg  
 incl. 2 Drawers Height 6,  
 aluminium drop-down front Height 8



**WORKMO 44-500**  
**WO 44-500 SBL8**  
 Ref. No. 1000003792  
 Dimensions (WxHxD): 1052 x 506 x 396 mm  
 Weight: 28.8 kg  
 incl. 3 Drawers Height 8



**WORKMO 44-500**  
**WO 44-500 SBL AZS**  
 Ref. No. 1000003839  
 Dimensions (WxHxD): 1052 x 506 x 396 mm  
 Weight: 24.9 kg  
 incl. 2 Drawers Height 6,  
 Standard shelf with plastic slide



**WORKMO 44-500**  
**SET WO 44-500 LB1**  
 Ref. No. 1000003857  
 Dimensions (WxHxD): 1052 x 506 x 396 mm  
 Weight: 29.9 kg  
 incl. 2 Drawers Height 6,  
 Standard shelf with  
 2 x L-BOXEs 136 empty on plastic slide

**STANDARD MODULE HEIGHT 750 WIDTH 4** FOR DRAWERS, BOXES AND STANDARD SHELVES



**WORKMO 44-750**  
**WO 44-750 SBL1**  
 Ref. No. 1000004435  
 Dimensions (WxHxD): 1052 x 744 x 396 mm  
 Weight: 45 kg  
 incl. 5 drawers height 6 and  
 1 drawer height 8



**WORKMO 44-750**  
**WO 44-750 SBL2**  
 Ref. No. 1000004437  
 Dimensions (WxHxD): 1052 x 744 x 396 mm  
 Weight: 41.6 kg  
 incl. 2 drawers height 6,  
 2 drawers height 8 and  
 1 drawer height 10



**WORKMO 44-750**  
**WO 44-750 SBL FB2**  
 Ref. No. 1000004456  
 Dimensions (WxHxD): 1052 x 744 x 396 mm  
 Weight: 38,2 kg  
 incl. 3 drawers height 6,  
 1 drawer height 8 and 1 standard shelf  
 with plastic slides



**WORKMO 44-750**  
**WO 44-750 SBL FB2B**  
 Ref. No. 1000004457  
 Dimensions (WxHxD): 1052 x 744 x 396 mm  
 Weight: 43.2 kg  
 incl. 3 drawers height 6,  
 1 drawer height 8 and  
 1 standard shelf with plastic slides,  
 2 L-BOXEs 136 empty

**DRAWERS INSIDE DIMENSIONS IN MM**

Drawer	Width	Depth	Height
<b>Width 2 / Height 6</b>	418	314	89
<b>Width 2 / Height 8</b>	418	314	123
<b>Width 3 / Height 6</b>	660	314	89
<b>Width 3 / Height 8</b>	660	314	123
<b>Width 3 / Height 10</b>	660	314	157
<b>Width 4 / Height 6</b>	902	314	89
<b>Width 4 / Height 8</b>	902	314	123
<b>Width 4 / Height 10</b>	902	314	157



**WORKMO 44-750**  
**WO 44-750 SBL FB1**  
 Ref. No. 1000004440  
 Dimensions (WxHxD): 1052 x 744 x 396 mm  
 Weight: 38.7 kg  
 incl. 4 drawers height 6,  
 1 open shelf with drop-down front

► All interior measurements of the drawers can be found on page 21.

# FLEXIBLE COMBINATION – FLEXIBLE PRICE

HEIGHT 500

▶ LIGHT

▶ ADVANCED

▶ PREMIUM



1x SET WorkMo 24-500 MS 1



1x SET WorkMo 24-500 MS 1  
 1x SET WorkMo 24-500 TB 1  
 1x WorkMo worktop without perforation 24  
 1x Roller WorkMo 24



1x SET WorkMo 24-500 MS 1  
 1x SET WorkMo 24-500 TB 1  
 1x Roller WorkMo 24  
 1x Storage pocket 04-7 plastic  
 4x Perforated aluminium side panels WorkMo 500  
 1x Electric power supply 4-way WorkMo  
 1x Perforated worktable WorkMo  
 incl. fastening material

Sortimo has developed a transport system with WorkMo that not only adapts to your daily requirements but is also **flexible in price**.

Simply decide yourself whether you wish to begin with a smaller cheaper transport system or if you require a complete solution immediately. Of course the WorkMo **can be extended at any time** in order to adapt to your own personal requirements.

# FLEXIBLE COMBINATION – FLEXIBLE PRICE

HEIGHT 750

▶ LIGHT

▶ ADVANCED

▶ PREMIUM



WorkMo 24-750 1SBL H6 1SBL H8 2MS B



- 1x WorkMo 24-750 1 SBL H6 1SBL H8 2MS B
- 1x Roller WorkMo24
- 1x WorkMo worktop without perforation 24
- 2x Perforated aluminium side panels WorkMo 750
- 1x Storage pocket 04-7 plastic
- 1x Electric power supply 4-way WorkMo
- incl. fastening material



- 1x WorkMo 24-750 1SBL H6 1SBL H8 2MS B
- 1x Roller WorkMo 24
- 1x Perforated worktable WorkMo
- 1x Intermediate worktable WorkMo 750
- 2 x Perforated aluminium side panels WorkMo 750
- 1x Storage pocket 04-7 plastic
- 1x Electric power supply 4-way WorkMo
- incl. fastening material



# MOBILE AND INDEPENDENT



## ROLLER

The roller made of **beech wood multiplex** makes the WorkMo completely mobile. The castors are completely encased in rubber and guarantee a smooth running. The WorkMo is attached to the roller via a connecting clamp. The flat surface also enables the transport of other materials.



**ROLLER WORKMO 24**  
WO RO 24  
Ref. No. 1000003706  
Dimensions (LxWxH): 612 x 493 x 144 mm  
Load capacity up to 200 kg



**ROLLER WORKMO 34**  
WO RO 34  
Ref. No. 1000003707  
Dimensions (LxWxH): 854 x 493 x 144 mm  
Load capacity up to 200 kg



**ROLLER WORKMO 44**  
WO RO 44  
Ref. No. 1000003708  
Dimensions (LxWxH): 1096 x 493 x 144 mm  
Load capacity up to 200 kg



The load can also be fastened to the roller by means of the embedded **ProSafe lashing points**. The roller is available in the WorkMo widths 2, 3 and 4. Two castors are equipped with brakes in each version.

With the roller adapters the WorkMo becomes a full workshop trolley. The roller adapters are screwed to the WorkMo and make it permanently mobile. They are suited for all widths. Two of the steering rollers can be locked.


### ROLLER ADAPTERS WORKMO VPE2 WO RK VPE2

Ref. No. 6000002992  
Weight: 2.6 kg  
resilient up to 150 kg/pair  
Including mounting material



### WALL FIXATION ALU-CADDY WH ZCAKL

Ref. No. 1000004391  
To hold the caddy.  
Tip: The assembly of two lashing points ProSafe (ref. no. 6000001231) and the fixation with a bungee strap ProSafe (ref. no. 1000002455) is recommended for the fixation in the upper section.



Stow away your roller securely while saving space in your vehicle with a specially made holder, which can be universally used for all three widths.

### WALL FIXATION ROLLER WORKMO WO WHR

Ref. No. 1000003963  
Dimensions (WxHxD): 254 x 270 x 97 mm  
Weight: 1.5 kg  
A suitable bungee strap for the fixation of the roller can be found on page 49.



### ALUCADDY FOLDABLE ZCAKL

Ref. No. 801014905  
Dimensions: 490 x 490 x 1090 mm  
Folded: 490 x 60 x 760 mm  
Foldable aluminium caddy for transporting L-BOXes or bulky goods. With telescopic handle and two large wheels with hard rubber tyres. Load capacity up to 150 kg. Weight: 6 kg



### FIXATION SET ALU-CADDY FOLDABLE FS CAKL

Ref. No. 1000001838  
With the fixation set the cargo is secured to the Alu-Caddy by means of the ProSafe clamp buckle strap (included in set).



### SUSPENSION ADAPTER ALU-CADDY FOLDABLE ZCAKL

Ref. No. 6000003363  
The suspension adapter can be fastened to the rear of the frequently transported freight. A flat surface is a pre-condition for this. The freight is then when needed, fastened by means of a simple insertion of the adapter into the groove of the Alu-Caddy.



# WORKING WHEN AND WHERE YOU LIKE

## ▶ WORKTOPS AND WORKTABLES

The convenient WorkMo worktops and worktables on the upper surface of the module provide you with a **perfect workstation at your job site**, on which adjustments can be made to your materials. The worktops and worktables are connected to the WorkMo via a **latching mechanism** and can be removed when required at any time.

The two stacked WorkMo modules come up to the **ideal working height** and your tools, machines and consumables are always at hand. Both worktable and worktop are available with or without a clamping system.



**PERFORATED WORKTOP WIDTH 2**  
**WO APL 24**  
 Ref. No. 1000003696  
 Dimensions (LxWxH): 571 x 426 x 41 mm



**WORKTOP WITHOUT PERFORATION WIDTH 2**  
**WO AP 24**  
 Ref. No. 1000003697  
 Dimensions (LxWxH): 426 x 571 x 41 mm



**WORKTOP WITHOUT PERFORATION WIDTH 3**  
**WO AP 34**  
 Ref. No. 1000003698  
 Dimensions (LxWxH): 426 x 834 x 41 mm



**WORKTOP WITHOUT PERFORATION WIDTH 4**  
**WO AP 44**  
 Ref. No. 1000003699  
 Dimensions (LxWxH): 426 x 1097 x 41 mm



**WORKTABLE WITHOUT PERFORATION**  
**WO AP-T**  
 Ref. No. 1000003700  
 Dimensions (LxWxH): 648 x 1451 x 139 mm  
 Table legs are telescopic, max. work height 1017 mm (equates to 2 stacked WorkMos 24-500)

The perforated worktable includes a clamping profile for the use of screw clamps for example. For this reason work pieces can also be fixated to the side of the worktable.



**PERFORATED WORKTABLE**  
**WO AP-TL**  
 Ref. No. 1000003701  
 Dimensions (LxWxH): 714 x 1517 x 139 mm  
 Table legs are telescopic, max. work height 1017 mm (equates to 2 stacked WorkMos 24-500)



Suitable accessories and clamping systems can be found on the following pages.

# WORKING WHEN AND WHERE YOU LIKE

## ▶ WORKTOPS AND WORKTABLES

Practical accessories facilitate your daily work routine tremendously. The worktable extension is an ideal expansion of your work station with perforated work top.

### WORKTABLE EXTENSION WORKMO WO AP-TL VL

Ref. No. 1000004182

Dimensions (LxWxH):  
1078 x 280 x 138 mm

Suitable for worktop with perforation,  
Ref. No. 1000003701.



### INTERMEDIATE TABLE WORKMO 500 WO AP-ZT

Ref. No. 1000003992


Dimensions (WxDxH): 976 x 484 x 33 mm



### INTERMEDIATE TABLE WORKMO 750 WO AP-ZT 750

Ref. No. 1000004398

Dimensions (WxDxH): 976 x 484 x 33 mm



### TOOL TRAY WORKMO 24-6 WO WKZA 24-6

Ref. No. 1000004390

Dimensions (WxHxD): 520 x 103 x 365 mm

Weight: 0.5 kg

The tool tray transforms the WorkMo into a high performance mobile workshop. It is affixed to the WorkMo using a coupling lever. The construction material is resistant to solvents, oils and fuels. The tray can be sub-divided with optional dividers.



### DIVIDER SHORT TOOL TRAY WORKMO WO WKZA TB KURZ

Ref. No. 1000004487

Dimensions (LxWxH): 328 x 8 x 69 mm



### DIVIDER LONG TOOL TRAY WORKMO WO WKZA TB LANG

Ref. No. 1000004488

Dimensions (LxWxH): 457 x 8 x 66 mm



### STORAGE IB D3 ALUM. PROFILE WO AP IB D3

Ref. No. 1000004189

Dimensions (WxHxD):  
160 x 67 x 128 mm

Weight: 0.35 kg



### STORAGE IB G3 ALUM. PROFILE WO AP IB G3

Ref. No. 1000004188

Dimensions (WxHxD):  
316 x 63 x 128 mm


Weight: 0.7 kg



### HOLDER GUIDE RAIL WORKMO WO AP-TL HFS

Ref. No. 1000004174

Dimensions (WxHxD):  
355 x 53 x 63 mm





# WORKING WHEN AND WHERE YOU LIKE

## ▶ WORKTOPS AND WORKTABLES

Transport your worktable very simply: this can be conveniently mounted onto the WorkMo with the transport rail.  
You are **mobile and flexible every time** with your entire workstation.



### SINGLE LASHING POINT PROSAFE E2PS

Ref. No. 6000001231  
Dimensions (LxWxH): 50 x 30 x 26 mm  
Resilience 200 daN.

For fixation on the WorkMo:

**1x SCREW SET**  
WO SSA1

Ref. No. 1000003777



### TRANSPORT RAIL WORKTABLE WORKMO WO TS AP-T

Ref. No. 1000003775  
Dimensions (WxHxD):  
526 x 108 x 60 mm  
Weight: 1.8 kg



For fixation on the WorkMo:

**1x SCREW SET**  
WO SSA1

Ref. No. 1000003777



The worktable can be placed in the transport rail of the lower module in folded position. Single lashing points with ProSafe lashing straps (1.4 m with lock buckle) enable the secure transport of worktables. [Straps as of Page 49.](#)



Suitable accessories and clamping systems can be found on the following pages.

# WORKING WHEN AND WHERE YOU LIKE

## ▶ WORKTOP SIDE WALL AND REAR WALL


For work that goes around corners, the side wall worktop lends itself to fixation at the rear of the WorkMo. Both worktops are perforated in order to enable the use of a clamping element to facilitate adjustments.

**ATTENTION:** The worktops side and rear wall cannot be installed in combination with the roller adapter WorkMo (Ref. No. 6000002992).




**SIDE WALL WORKTOP**  
**WO AP SW 500**  
 Ref. No. 1000003710  
 Dimensions (WxHxD): 346 x 314 x 27 mm

For fixation on the WorkMo:  
**SCREW SET**  
**WO SSA2**  
 Ref. No. 1000003778




**SIDE WALL WORKTOP**  
**WO AP SW 750**  
 Ref. No. 1000004366  
 Dimensions (WxHxD): 346 x 552 x 27 mm

For fixation on the WorkMo:  
**2x SCREW SET**  
**WO SSA2**  
 Ref. No. 1000003778



**REAR WALL WORKTOP**  
**WO RW 500**  
 Ref. No. 1000003709  
 Dimensions (WxHxD): 571 x 456 x 78 mm

For fixation on the WorkMo:  
**2x SCREW SET**  
**WO SSA1**  
 Ref. No. 1000003777



**REAR WALL WORKTOP**  
**WO RW 750**  
 Ref. No. 1000004365  
 Dimensions (WxHxD): 572 x 685 x 78 mm

For fixation on the WorkMo:  
**2x SCREW SET**  
**WO SSA1**  
 Ref. No. 1000003777



## ▶ CLAMPING ACCESSORIES



**FLAT CLAMP**  
**AP WORKMO VPE 2**  
**WO AP FS**  
 Ref. No. 6000002697  
 2 pieces  
 suitable for 20 mm breadboard

The flat clamping fixture enables quick lashing of work pieces by means of throwing a clamp lever. That way the flat surface of the work piece remains free to be worked on (e.g. for sanding).



**SCREW CLAMP**  
**160 AP WORKMO**  
**WO AP SZ 160**  
 Ref. No. 6000002539

**WorkMo provides everything in one.**  
 Use the clamping system with suitable accessories in order to work professionally also at your place of operation. Your WorkMo has everything you require at hand.


## ▶ CLAMPING ACCESSORIES



**LOCATING PIN 65MM**  
**WO ABSTB**  
 Ref. No. 6000002974  
 suitable for 20 mm breadboard



**STOP PIN 25MM**  
**WO ASB**  
 Ref. No. 6000002973  
 suitable for 20 mm breadboard



# EVERYTHING AT HAND

## ▶ PERFORATED ALUMINIUM PANEL


Clamp your tools onto the side of the WorkMo – that way you **always have it ready at hand** and save time on searching. The aluminium side panel is perforated so that diverse Sortimo original accessories in the form of hooks and holders can be attached and hold your consumables in place. Simply click the perforated aluminium side panel onto the side of your WorkMo.



**BOTTLE HOLDER 1.5 L**  
FH 1.5 L  
Ref. No. 801011367



▶ With only **one click** you can equip your perforated aluminium panel with hooks.



**PERFORATED ALUMINIUM PANEL WORKMO 500**  
WO SBAL 500  
Ref. No. 1000003705  
Dimensions (WxHxD): 249 x 244 x 14 mm

**PERFORATED ALUMINIUM PANEL WORKMO 750**  
WO SBAL 750  
Ref. No. 1000004397  
Dimensions (WxHxD): 244 x 487 x 14 mm



▶ The WorkMo holds everything that you require for your workday at the ready. For a **focussed and professional appearance**.

## ▶ ACCESSORIES

### ▶ TIPP

#### REMOVAL SAFETY DEVICE WORKMO

Robust safeguarding of BOXXes and drawers.



For fixation on the WorkMo:

#### 1x SCREW SET

WO SSA1

Ref. No. 1000003777



#### REMOVAL PROTECTION DEVICE WORKMO 500

WO ES 500

Ref. No. 1000003776

Sturdy securing of BOXXes and drawers.

WO ES 44-500

Ref. No. 1000004560

For the WorkMo height 500 in width 4

WORKMO 750

WO ES 750

Ref. No. 1000004367

For the WorkMo height 750 in width 2 and 3

WO ES 44-750

Ref. No. 1000004561

For the WorkMo height 750 in width 4



#### PLASTIC COVERED PADLOCK

VHS KM

Ref. No. 6000002883



#### ANTI-THEFT DEVICE

AMD

Ref. No. 601009567

Plastic encased steel cable.

Cable length 1500 mm.

Cannot be severed with wire cutter or saw.


If you wish to leave your WorkMo at the construction site, you can simply secure your tools by means of the removal protection device.



**LOWA SPIRIT LEVEL HOLDER**  
LOWA WWH  
Ref. No. 6000001171



**LOWA AEROSOL SPRAY HOLDER**  
LOWA SDH  
Ref. No. 6000001169



**LOWA TOOL HOLDER**  
LOWA WZH K6  
Ref. No. 6000001170  
6 pieces



#### HOSE HOLDER

ZSH

Ref. No. 801010976

Dimensions (WxHxD): 210 x 120 x 195 mm

Secure storage of electrical cables.

# EVERYTHING AT HAND

Expand your possibilities by means of **practical hooks** for fastening your tools.

## ► SOWAAPP



**STORAGE POCKET FOR INSET BOX D3 SOWAAPP**  
**AB IB D3 SWA**  
 Ref. No. 1000003926  
 Weight: 0,2 kg  
 Dimensions (WxHxD): 160 x 65 x 112 mm



**STORAGE POCKET FOR L-BOXX MINI SOWAAPP**  
**AB LB MINI SWA**  
 Ref. No. 1000003923  
 Weight: 0,5 kg  
 Dimensions (WxHxD): 266 x 152 x 71 mm



**INSERT TOOL HOLDER SOWAAPP**  
**ES EH SWA**  
 Ref. No. 1000004279  
 Weight: 0,3 kg  
 Dimensions (WxHxD): 180 x 100 x 60 mm



**SILICONE CARTRIDGE HOLDER 53 SOWAAPP**  
**SI KH 53 SWA**  
 Ref. No. 1000003924  
 Weight: 0,1 kg  
 Dimensions (WxHxD): 67 x 137 x 72 mm



**FOAM CARTRIDGE HOLDER 73 SOWAAPP**  
**SKH 73 SWA**  
 Ref. No. 1000003925  
 Weight: 0,1 kg  
 Dimensions (WxHxD): 87 x 121 x 92 mm

## ► PERFORATED ALUMINIUM SIDE PANEL AND HOOKS

The hooks made of robust reinforced fibre glass hard plastic are designed exactly to fit into the slotted holes on the aluminium side panel. They can be very **easily attached with one hand** into the stamped slots of the perforated panel.



**TOOL CLAMP SET 5 PC. PERFORATED ALUMINIUM PANEL 3.0**  
**WZKS 5T SBAL 3.0**  
 Ref. No. 6000002438  
 Consists of: tool clamps 19 / 25 / 28 / 32 / 38



**TOOL CLAMP SET 9 PC. PERFORATED ALUMINIUM PANEL 3.0**  
**WZHS 9T SBAL 3.0**  
 Ref. No. 6000002437  
 Consists of:  
 single hook for tools 40 / 66 / 90  
 double hooks for tools 40 / 66 / 90  
 round hook for tools 40  
 round holder for tools 80  
 tool holder for pliers 61



	<b>SINGLE HOOK FOR TOOLS 40 PERFORATED ALUMINIUM PANEL 3.0</b> Hook length approx. 25 mm	WZEH 40 SBAL 3.0	Ref. No. 6000002422
	<b>SINGLE HOOK FOR TOOLS 66 PERFORATED ALUMINIUM PANEL 3.0</b> Hook length approx. 51 mm	WZEH 66 SBAL 3.0	Ref. No. 6000002423
	<b>SINGLE HOOK FOR TOOLS 90 PERFORATED ALUMINIUM PANEL 3.0</b> Hook length approx. 75 mm	WZEH 90 SBAL 3.0	Ref. No. 6000002424
	<b>DOUBLE HOOK FOR TOOLS 40 PERFORATED ALUMINIUM PANEL 3.0</b> Hook length approx. 25 mm	WZDH 40 SBAL 3.0	Ref. No. 6000002425
	<b>DOUBLE HOOK FOR TOOLS 66 PERFORATED ALUMINIUM PANEL 3.0</b> Hook length approx. 51 mm	WZDH 66 SBAL 3.0	Ref. No. 6000002426
	<b>DOUBLE HOOK FOR TOOLS 90 PERFORATED ALUMINIUM PANEL 3.0</b> Hook length approx. 75 mm	WZDH 90 SBAL 3.0	Ref. No. 6000002427
	<b>ROUND HOOK FOR TOOLS 40 PERFORATED ALUMINIUM PANEL 3.0</b> Holder diameter approx. 40 mm	WZRH 40 SBAL 3.0	Ref. No. 6000002428
	<b>ROUND HOOK FOR TOOLS 80 PERFORATED ALUMINIUM PANEL 3.0</b> Holder diameter approx. 80 mm	WZRH 80 SBAL 3.0	Ref. No. 6000002429
	<b>TOOL HOLDER FOR PLIERS 61 PERFORATED ALUMINIUM PANEL 3.0</b> Holder width approx. 61 mm	WZZH 61 SBAL 3.0	Ref. No. 6000002430
	<b>TOOL CLAMP 19 PERFORATED ALUMINIUM PANEL 3.0</b> Clamping range approx. 19 – 25 mm	WZKL 19 SBAL 3.0	Ref. No. 6000002435
	<b>TOOL CLAMP 25 PERFORATED ALUMINIUM PANEL 3.0</b> Clamping range approx. 25 – 28 mm	WZKL 25 SBAL 3.0	Ref. No. 6000002431
	<b>TOOL CLAMP 28 PERFORATED ALUMINIUM PANEL 3.0</b> Clamping range approx. 28 – 32 mm	WZKL 28 SBAL 3.0	Ref. No. 6000002432
	<b>TOOL CLAMP 32 PERFORATED ALUMINIUM PANEL 3.0</b> Clamping range approx. 32 – 38 mm	WZKL 32 SBAL 3.0	Ref. No. 6000002433
	<b>TOOL CLAMP 38 PERFORATED ALUMINIUM PANEL 3.0</b> Clamping range approx. 38 – 45 mm	WZKL 38 SBAL 3.0	Ref. No. 6000002434
	<b>BASIC HOLDER PERFORATED ALUMINIUM PANEL 3.0</b> for individual equipping	GH SBAL DR 3.0	Ref. No. 6000002234

# EVERYTHING AT HAND

## STORAGE POCKETS

The storage pockets are the **ideal storage place** for consumables, documents, and tools. The storage pocket can be screwed onto the side of the WorkMo so that you always have everything ready at hand.



### STORAGE SHELF SIDE WALL MADE OF METAL

**WO ABLT 14-9**  
Ref. No. 1000003962  
Dimensions (WxHxD): 353 x 152 x 229 mm  
incl. Anti-rattle mat

For fixation on the WorkMo:  
**1x SCREW SET  
WO SSA1**  
Ref. No. 1000003777



### STORAGE POCKET 04-7 MADE OF HARD PLASTIC AB 04-7 KU

Ref. No. 6000001329  
Dimensions (WxHxD): 353 x 123 x 134 mm


For fixation on the WorkMo:  
**1x SCREW SET  
WO SSA1**  
Ref. No. 1000003777



### STORAGE POCKET FOR PAPER MADE OF HARD PLASTIC AB 04-12K

Ref. No. 801016054  
Dimensions (WxHxD): 356 x 204 x 89 mm

For fixation on the WorkMo:  
**1x SCREW SET  
WO SSA1**  
Ref. No. 1000003777



### BIG STORAGE POCKET 04-7 AB G 04-7

Ref. No. 1000002447  
Dimensions (WxHxD): 356 x 115 x 252 mm

For fixation on the WorkMo:  
**1x SCREW SET  
WO SSA1**  
Ref. No. 1000003777



The exact size Anti-rattle mat can be ordered optionally in addition:



### ANTI-RATTLE MAT LARGE 04-7 ARM AB G 04-7

Ref. No. 6000002115  
Dimensions: 352 x 242 x 4 mm

## STATIONARY POSITIONING



### WALL FIXATION WORKMO WO WH 20-3

Ref. No. 1000003803

You can also use your WorkMo as a workshop installation. You have the possibility to hang up/suspend your WorkMo when the wall fixation is included.

The fixation consists of two aluminium rails; one is fixated to the WorkMo and the other to the wall. The fastening material for fixating the rails is included in delivery.

Suitable for all WorkMos width 2, resilient up to max. 100 kg.

## HOOKS

The hook strip is mounted onto the side of the WorkMo and is ideal for stowing away **jackets, cables, helmets, hoses** and similar items. The load capacity of the strip is limited to 12 kg.



### HOOK STRIP 04 ZHL 04

Ref. No. 1000002647  
Dimensions (WxHxD): 355 x 80 x 51 mm  
The hook strip, depth 4 has 3 hooks.

For fixation on the WorkMo:  
**1x SCREW SET  
WO SSA1**  
Ref. No. 1000003777



## CLAMPING STRIP FOR TOOLS



### CLAMPING STRIP FOR TOOLS 04-3 WKL 04-3

Ref. No. 1000003642  
Dimensions (WxHxD):  
355 x 33 x 48 mm

For fixation on the WorkMo:  
**1x SCREW SET  
WO SSA1**  
Ref. No. 1000003777



The clamping strip for tools is mounted onto the side of the WorkMo. The main advantage here is that your tools cannot move around, are ready at hand and are **secured during transport**.

## POWER SUPPLY



### ELECTRIC POWER SUPPLY 4-WAY IP44 04-7 WO SV 04-7

Ref. No. 1000003774  
Dimensions (WxHxD): 308 x 118 x 60 mm  
incl. mounting plate and cable hooks  
8 screws are required for fastening.

For fixation on the WorkMo:  
**2x SCREW SET  
WO SSA1**  
Ref. No. 1000003777



### ADVANTAGES

- ▶ power supply directly onsite
- ▶ wired ready for connection
- ▶ sturdy and splash water protected
- ▶ with foldable cover
- ▶ time saving and efficient work



# ORGANISATION MADE EASY

## L-BOXX

The L-BOXX is the **perfect transport aid and perfect for keeping everything in order**, no matter whether it is for heavy material, customer samples or tools.

Another advantage is the **quick click system**. For this reason L-BOXXes can be clicked together and separated from each other with the push of a button – depending on your personal requirements. The L-BOXXes are made of impact and shock-resistant ABS hard plastic. They are essential and offer mobility with their 4 sizes. They can be integrated into the WorkMo via standard shelves or the MultiSlide.

**L-BOXX 102**  
LB 102  
Ref. No. 121014674  
Outer dim. (LxWxH): 442 x 357 x 117 mm  
Interior dim. (LxWxH): 378 x 313 x 71 mm  
Weight: 2.1 kg

**L-BOXX 136**  
LB 136  
Ref. No. 121014675  
Outer dim. (LxWxH): 442 x 357 x 151 mm  
Interior dim. (LxWxH): 378 x 311 x 107 mm  
Weight: 2.2 kg

**L-BOXX 238**  
LB 238  
Ref. No. 121014676  
Outer dim. (LxWxH): 442 x 357 x 253 mm  
Interior dim. (LxWxH): 378 x 306 x 209 mm  
Weight: 2.8 kg

**L-BOXX 374**  
LB 374  
Ref. No. 121014677  
Outer dim. (LxWxH): 442 x 357 x 389 mm  
Interior dim. (LxWxH): 378 x 296 x 345 mm  
Weight: 3.4 kg



See the unlimited design variations of the L-BOXX for yourself in our catalogue "Mobile Assortments". This can be ordered per Fax form on page 57 or by scanning in the QR-Code.



sortimo.com/catalogues



Sortimo has many strategic partners that use the L-BOXX as outer packaging for tools or consumables. The advantage for you is you may possibly already have one of our partner L-BOXXes in your possession which you could integrate in the WorkMo.



You can organise the perfect L-BOXX yourself with the aid of inserts, dividers and Inset boxes. All variations can be found in the **Mobile Assortment catalogue**.

# ORGANISATION MADE EASY

## T-BOXXES

The handy BOXX made of plastic is lightweight, sturdy, impact-resistant and clearly laid out – these characteristics make the T-BOXX a real alternative to the classic Metal case. The practical Inset boxes keep everything in order and enable a **quick overview** with the transparent cover made of high tensile polycarbonate.

WorkMo provides a simple solution for the transportation and storage of T-BOXXes. By means of the case tray the lids of cases and BOXXes can be fully opened up, which facilitates the quick removal of small components and tools.



**T-BOXX EMPTY**  
STB 320  
Ref. No. 51012126  
Dimensions (LxWxH): 440 x 350 x 80 mm  
Weight: 1.6 kg  
Without Inset boxes



**T-BOXX C3 BLUE**  
STB 321 C  
Ref. No. 51012129  
Dimensions (LxWxH): 440 x 350 x 80 mm  
Weight: 2.39 kg  
Equipped with Inset boxes:  
12 x C3 blue.



**T-BOXX H STANDARD**  
STB 321 H  
Ref. No. 51011476  
Dimensions (LxWxH): 440 x 350 x 80 mm  
Weight: 2.3 kg  
Equipped with Inset boxes:  
6 x A3 red, 4 x B3 yellow,  
1 x G3 dark green, 2 x F3 orange,  
1 x D3 green, 2 x C3 blue.



**T-BOXX B3 YELLOW**  
STB 321 B  
Ref. No. 51012128  
Dimensions (LxWxH): 440 x 350 x 80 mm  
Weight: 2.39 kg  
Equipped with Inset boxes:  
24 x B3 yellow.



**T-BOXX E3 MIXED**  
STB 321 E  
Ref. No. 51012131  
Dimensions (LxWxH): 440 x 350 x 80 mm  
Weight: 2.3 kg  
Equipped with Inset boxes:  
12 x A3 red, 6 x B3 yellow,  
3 x C3 blue, 2 x D3 green.



**T-BOXX D3 GREEN**  
STB 321 D  
Ref. No. 51012130  
Dimensions (LxWxH): 440 x 350 x 80 mm  
Weight: 2.3 kg  
Equipped with Inset boxes:  
8 x D3 green.

## CASE

See the unlimited design variations of the Metal Case for yourself in our catalogue "Mobile Assortments". This can be ordered per fax form on page 57 or by scanning the QR-Code.



sortimo.com/catalogues

The Metal Case is **extremely sturdy** and passes every workday endurance test. No matter if its a heavy payload or heavy equipping – the functionality does not change.

- ▶ carrier comfort
- ▶ practical one hand operation
- ▶ 120 degree stop angle of the cover
- ▶ flexible organisation inside: many subdivision possibilities with Inset boxes, dividers or foam inserts



**SMALL COMPONENTS**  
**CASE 320**  
KM 320  
Ref. No. 5228000  
Dimensions (LxWxH): 440 x 330 x 66 mm  
Weight: 2.6 kg  
without Inset boxes



**SMALL COMPONENTS**  
**CASE 330**  
KM 330  
Ref. No. 5228390  
Dimensions (LxWxH): 440 x 330 x 100 mm  
Weight: 3.0 kg  
without Inset boxes

The Metal Case can be simply **integrated into the WorkMo** up to a height of 130 mm by means of service case rails, case trays or the MultiSlide.



**SMALL COMPONENTS**  
**CASE 321 E**  
KM 321 E  
Ref. No. 5228055  
Dimensions (LxWxH): 440 x 330 x 66 mm  
Weight: 3.4 kg  
equipped with Inset boxes:  
12 x A3 red, 6 x B3 yellow,  
3 x C3 blue, 2 x D3 green



**TOOL CASE 340**  
WM 340  
Ref. No. 5228581  
Dimensions (LxWxH): 440 x 330 x 130 mm  
Weight: 3.8 kg  
without divider set



**SMALL COMPONENTS**  
**CASE 332 E 1/1**  
KM 332 E 1/1  
Ref. No. 1000001531  
Dimensions (LxWxH): 440 x 330 x 100 mm  
Weight: 4.7 kg  
Inset boxes equipped lower: 12 x A3 red,  
6 x B3 yellow, 3 x C3 blue, 2 x D3 green  
Inset boxes equipped upper: BES 31 1/1,  
18 x A4 red, 9 x B4 yellow, 3 x C4 blue




**TOOL CASE 341**  
WM 341  
Ref. No. 5228598  
Dimensions (LxWxH): 440 x 330 x 130 mm  
Weight: 4.0 kg  
with divider set

# ORGANISATION MADE EASY

## DIVIDERS FOR DRAWERS

You can equip your WorkMo module with drawers for even more organisation. They keep everything in order and provide a secure storage place for all types of tools and small components. The integrated recessed grips are especially clever as they enable **trouble free opening even while wearing work gloves**. Your drawers can also be subdivided to meet your requirements with the addition of dividers or inserts.



### 1 DIVIDERS

subdivide the drawers in depth. Divider adapters are required for connecting the dividers to the slotted dividers (have to be ordered separately).

DRAWER WIDTH 2			
	<b>TB 20-6 154</b>	Ref. No. 411003651	Divider 62 x 154 mm
	<b>TB 20-8 154</b>	Ref. No. 411003655	Divider 93 x 154 mm
	<b>TB 20-6 235</b>	Ref. No. 411003652	Divider 62 x 235 mm
	<b>TB 20-8 235</b>	Ref. No. 411003656	Divider 93 x 235 mm
DRAWER WIDTH 3			
	<b>TB 20-6 235</b>	Ref. No. 411003652	Divider 62 x 235 mm
	<b>TB 20-8 235</b>	Ref. No. 411003656	Divider 93 x 235 mm
DRAWER WIDTH 4			
	<b>TB 40-6 559</b>	Ref. No. 411003654	Divider 62 x 559 mm
	<b>TB 40-8 559</b>	Ref. No. 411003658	Divider 93 x 559 mm

### 1A ADAPTER FOR SLOTTED DIVIDER

connects the divider to the slotted divider.

<b>ATB 9</b>	Ref. No. 491003938	Adapter for divider
<b>DATB 9</b>	Ref. No. 491003307	Double adapter for divider

### 2 SLOTTED DIVIDERS

subdivide the drawers in width. Two drawer brackets are required each time for the fastening of slotted dividers (have to be ordered separately).

DRAWER WIDTH 2			
	<b>SB 04-6 310</b>	Ref. No. 411003659	Slotted divider 62 x 310 mm
	<b>SB 04-8 310</b>	Ref. No. 411003660	Slotted divider 93 x 310 mm

### 2A DRAWER DIVIDER HOLDER

connects the slotted divider to the drawer.

<b>SBLTB 00-6 2</b>	Ref. No. 411014577	Divider holder for drawer height 6
<b>SBLTB 00-8 2</b>	Ref. No. 411014578	Divider holder for drawer height 8

All L-BOXX inserts from our Partners for L-BOXXes 102 and L-BOXXes 136 fit into our drawers!



## DIVIDER SETS



Dividers bring tidiness into both large and small drawers. Standard shelves can also be more efficiently subdivided. Available in sets, individually or as inserts for small components.

### DIVIDER SET FOR DRAWER WIDTH 2

<b>SBL TBS 24-6</b>	Ref. No. 1000000449	suitable for drawer depth 4 / height 6
<b>SBL TBS 24-8</b>	Ref. No. 1000000450	suitable for drawer depth 4 / height 8

### DIVIDER SET FOR DRAWER WIDTH 3

<b>SBL TBS 34-6</b>	Ref. No. 1000000452	suitable for drawer depth 4 / height 6
<b>SBL TBS 34-8</b>	Ref. No. 1000000453	suitable for drawer depth 4 / height 8

### DIVIDER SET FOR DRAWER WIDTH 4

<b>SBL TBS 44-6</b>	Ref. No. 1000000455	suitable for drawer depth 4 / height 6
<b>SBL TBS 44-8</b>	Ref. No. 1000000456	suitable for drawer depth 4 / height 8

### INSET BOXES SET SE3

IB SE3

Ref. No. 5240545  
12 x A3 red 6 x B3 yellow,  
3 x C3 blue, 2 x D3 green



### SMALL COMPONENT INSERT FOR DRAWERS

SBL TE 10

Ref. No. 411016008  
Small component insert for  
drawers width 2 / depth 4



## ANTI-RATTLE MATS



**ANTI-RATTLE MAT FOR DRAWERS 24-0**  
ARM S 24-0  
Ref. No. 651003661

**ANTI-RATTLE MAT FOR DRAWERS 34-0**  
ARM S 34-0  
Ref. No. 651003662

**ANTI-RATTLE MAT FOR DRAWERS 44-0**  
ARM S 44-0  
Ref. No. 651003663



# SECURE IN VEHICLE

► PROSAFE

**SoboGrip ProSafe floor** enables quick and uncomplicated lashing of the WorkMo modules in your vehicle. The advantage of the SoboGrip ProSafe floor is that there are already embedded individual lashing eyes integrated into the floor. Your cargo can be secured very flexibly with it.



**LASHING STRAP PROSAFE LOCK BUCKLE**

**1.4 m**  
**PSH KS 1.4**  
Ref. No. 100000224  
Resilient up to 225 daN  
Strap width: 25 mm  
Strap length: 1.4 m

**3 m**  
**PSH KS 3**  
Ref. No. 100000222  
Resilient up to 225 daN  
Strap width: 25 mm  
Strap length: 3 m

**6 m**  
**PSH KS 6**  
Ref. No. 100000223  
Resilient up to 225 daN  
Strap width: 25 mm  
Strap length: 6 m



**LASHING STRAP PROSAFE RATCHET**

**3.5 m**  
**PSH RA 3.5**  
Ref. No. 100000225  
Resilient up to 400 daN  
Strap width: 25 mm  
Strap length: 3.5 m

**6 m**  
**PSH RA 6**  
Ref. No. 100000226  
Resilient up to 400 daN  
Strap width: 25 mm  
Strap length: 6 m



**BUNGEE STRAP PROSAFE 1000MM + 2 HOOKS**

**SG PS 1000**  
Ref. No. 1000002455  
Dimensions: 1000 x 20 x 30 mm

The bungee strap from Sortimo is **suitable for the fixation of bulky goods** in your vehicle and extended by means of load securing elements from Sortimo. The plastic hooks can be inserted into all ProSafe lashing points and ProSafe rails, but can also be attached to original lashing points for example or hooked into partition grids.

This provides you with **numerous fixation possibilities** in your vehicle:

- ▶ Secure against falling over
- ▶ Secure against falling out
- ▶ Secure against skidding
- ▶ Stowage / organisation of cables
- ▶ Fixation of long components

# SECURE IN VEHICLE

► PROSAFE

You can quickly, professionally and securely lash your WorkMo with our special ProSafe accessories.



**CARGOSTOP PROSAFE  
CST PS**


Ref. No. 1000003736

The CargoStop ensures reliable load securing on the vehicle floor. Its hook is simply inserted into the ProSafe floor lashing points.

The CargoStop ProSafe can be used in combination with our SoboGrip ProSafe floor as a **form-locked load securing measure for WorkMo**. The CargoStops are inserted into the ProSafe lashing points and lock in place there. The practical blocking beam of the CargoStops enable the hooking of the ProSafe lashing strap, through which the WorkMo can be secured. In connection with a restraint pole a blocking beam is created which secures the WorkMo additionally. By using the CargoStops two at a time, a form-locked securing of different loads is guaranteed, even without the implementation of a restraint pole.



The floor rails are screwed onto the vehicle floor and serve as **position locking of the WorkMo**. They can be mounted either opposite to or transverse to the driving direction in order to absorb the brake force in a form-locking way. An additional lashing strap is necessary for load securing.



**FLOOR RAIL WORKMO  
WO BS**

Ref. No. 1000003961

Consists of 2 floor rails.

**SET OF SCREWS FLOOR  
FIXATION  
WO SSA 4**

Ref. No. 1000004214

consists of 8 pcs. chipboard screws to attach the floor fixation to your Soboflex/Sobogrip floor.



# SECURE IN ESTATE CARS


## PROSAFE

With WorkMo we have created the ideal transport solution for estate car boots. Whether you are underway in the field or as a service technician, your material is stored cleanly and safely in the modules. Furthermore, your WorkMo can be quickly integrated into your vehicle – and, in case of need, can be removed therefrom just as rapidly. Thus, nothing stands in the way of the private use of your car.

These WorkMo modules can be secured in the vehicle by means of the already integrated lashing eyes.

In case your estate car is not included in the table, please do not hesitate to contact one of our offices in Germany, or of our subsidiaries and partners worldwide or call Sortimo Direct.

We will be pleased to assist you.



Please consult our WorkMo page [sortimo.com](http://sortimo.com) to find recent information and updates on our product.

✓ possible without restrictions ● possible to a limited extent ✗ not possible

VEHICLE MODEL	Model year as of	WIDTH 2		WIDTH 3	
		WorkMo 24-500	WorkMo 24-750	WorkMo 34-500	WorkMo 34-750
Audi A4 Avant B8	as of 2008	✓	✗	✓	✗
Audi A6 Avant C7	as of 2011	✓	✗	✓	✗
BMW 3 Series Touring F31	as of 2012	✓	✗	✓	✗
BMW 5 Series Touring F11	as of 2010	✓	✗	✓	✗
Mercedes C-Class Estate S205	as of 2014	✓	✗	✓	✗
Mercedes E-Class Estate S212	as of 2009	✓	✗	✓	✗
Skoda Octavia III (5E)	as of 2012	✓	✗	✓	✗
Skoda Superb II (3T)	2008-2013	✓	✗	✓	✗
VW Golf VII	as of 2013	✓	✗	✓	✗
VW Passat B7	2010-2014	✓	✗	✓	✗
VW Passat B8	as of 2014	✓	✗	✓	✗
VW Touran GP2*	as of 2010	✓	✓	✓	✓

VEHICLE MODEL	Model year as of	WIDTH 4	COMBINATION	
		WorkMo 44-500	WorkMo 24-500 WorkMo 34-500	WorkMo 34-500 WorkMo 34-500
Audi A4 Avant B8	as of 2008	✗	✗	✗
Audi A6 Avant C7	as of 2011	✗	✗	✗
BMW 3 Series Touring F31	as of 2012	✗	✗	✗
BMW 5 Series Touring F11	as of 2010	✓	✗	✗
Mercedes C-Class Estate S205	as of 2014	✗	✗	✗
Mercedes E-Class Estate S212	as of 2009	✓	✗	✗
Skoda Octavia III (5E)	as of 2012	✗	✗	✗
Skoda Superb II (3T)	2008-2013	✗	✗	✗
VW Golf VII	as of 2013	✗	✗	✗
VW Passat B7	2010-2014	●	✗	✗
VW Passat B8	as of 2014	✗	✗	✗
VW Touran GP2*	as of 2010	●	✓	✓



\* In addition, the Touran offers space for a combination of the WorkMo modules in width 4 and 3, height 500.



# AT YOUR SERVICE – WORLDWIDE!

## SORTIMO INTERNATIONAL

# Sortimo®

Intelligent Mobility

### ■ SORTIMO INTERNATIONAL GmbH HEADQUARTERS

Dreilindenstraße 5  
86441 Zusmarshausen  
Tel. +49 8291 850-0  
Fax +49 8291 850-250  
E-Mail: info@sortimo.com  
sortimo.com

#### ARGENTINA

Adolfo E. Seifer  
Sortimo Liaison Office South  
America  
Francia 2545  
AR - 1642 San Isidro  
Tel. +54 11 47238571  
Fax +54 11 47239112  
seiferar@arnet.com.ar  
sortimo.com

#### AUSTRALIA

Berreny Pty Ltd  
P.O. Box 145  
AU - 1680 Ryde, NSW  
Tel. +61 290457045  
info@sortimo.com.au  
sortimo.com.au

#### AUSTRIA

Sortimo GesmbH  
Technologiezentrum Linz  
Wiener Straße 131, Eingang A  
A - 4020 Linz  
Tel. +43 810 081045  
Fax +43 810 081046  
office@sortimo.at  
sortimo.at

#### BELGIUM

Sortimo BELLUX bvba  
Schaarbeeklei 491  
B - 1800 Vilvoorde  
Tel. +32 2 3550370  
Fax +32 2 3550371  
info@sortimo.be  
sortimo.be

#### CAYMAN ISLANDS

W. S. M. Wacker Service Mobil Ltd.  
P.O.Box 823  
KY1 - 1103 Grand Cayman Islands  
Tel. +1 345 9168565  
sunnycayman@Hotmail.com  
sortimo.com

#### CROATIA

Sortis oprema d.o.o. M.Gupca 12.  
HR - 10434 Strmec  
Tel./Fax ++385(0)1 33 85 775  
sasa.hanic@sortimo-oprema.hr  
sortimo-oprema.hr

#### CZECH REPUBLIC

TOP CENTRUM  
Jaroslav Novák  
Rohovládova Bělá 91  
CZ - 533 43 Rohovládova Bělá  
Tel. +420 466 921292  
Fax +420 466 921293  
topcentrum@topcentrum.cz  
topcentrum.cz

#### FD servis Praha s.r.o.

Kuří 26  
CZ - 251 01 Ricany u Prahy  
Tel. +420 323 606109  
Fax +420 323 606107  
info@fdservispraha.cz  
fdservispraha.cz

#### DENMARK

Sortimo A/S  
Greve Main 24  
DK - 2670 Greve  
Tel. +45 43 5522 22  
Fax +45 43 5522 26  
info@sortimo.dk  
sortimo.dk

#### FINLAND

Suomen Autokaluste Oy  
Kaapelikatu 4  
05800 Hyvinkää  
Tel. +358 207 558819  
info@sortimo.fi  
sortimo.fi

#### FRANCE

Sortimo S.A.R.L.  
Aéroport  
1 Rue Jean Mermoz Bât C6  
F - 95500 Gonesse  
Tel. +33 1 39874466  
Fax +33 1 39875168  
info@sortimo.fr  
sortimo.fr

#### GULF COOPERATION COUNCIL

H&C Euro Tech Co. WLL Buidling 268,  
Avenue 22 Block 324, Al Fateh  
Juffair, Manama  
Kingdom of Bahrain  
Tel. +973-13688 968  
Fax +973-13688 978  
info@sortimo-gcc.com  
hh-eurotec.com  
sortimo-gcc.com

#### GREECE

Stathis Transport Refrigeration  
Dounas Theocharis & Co SA  
Sindos Industrial Area, Entrance B  
P.O. Box 11 34  
GR - 570 22 Thessaloniki  
Tel. +30 23 10798300  
Fax +30 23 10798370  
contact@stathis.com.gr  
stathis.com.gr

#### UK AND IRELAND

Sortimo International Ltd.  
14 - 17 Ravenhurst Court  
Birchwood, Warrington, Cheshire  
GB - WA3 6PN  
FREEPHONE: 0800 027 5644  
Tel. +44 1925 831636  
Fax +44 1925 848232  
info@sortimo.co.uk  
sortimo.co.uk

#### ICELAND

RAFVER EHF  
Skeifan 3 E-F  
P.O. Box 84 33  
ISL - 108 Reykjavik  
Tel. +35 4 5812333  
Fax +35 4 5680215  
rafver@rafver.is  
rafver.is

#### HUNGARY

Hofmann Garázsipari Kft.  
Budaörsi út 11  
H - 2092 Budakeszi  
Tel. +36 23 535831  
Fax +36 23 535849  
ertekezes@ballun.hu  
ballun.hu

#### Pappas Auto Magyarország Kft.

Hunyadi János út. 6.  
H - 1117 Budapest  
Tel. +36 1 4637400  
Fax +36 1 4637409  
info@pappas.hu  
pappas.hu

#### ISRAEL

Sortline Ltd.  
17 Zvi Bergman St.  
Industrial Zone Sgula  
IL - 4927974 Petach-Tikva  
Tel. +972 3 9052117  
Fax +972 3 9052110  
info@sortline.co.il  
sortline.co.il

#### ITALY

T.I.T. EUROPE SRL  
Via Luigi Corradi, 16  
I - 05100 TERNI (TR)  
Tel. +39 0744 390035  
Fax +39 0744 390036  
commerciale@titeurope.com  
sortimo.it

#### T.I.T. Europe SRL

Via Lussemburgo, 7  
37069 Villafranca di Verona ( VR )  
Green number: 800 855 717  
sortimo.it

#### JAPAN

MURATEC - KDS CORPORATION  
No. 39, Matsuda-cho  
Higashi-Kujo, Minami-Ku  
JP - 601 8036 Kyoto  
Tel. +81 75 681 2761  
Fax +81 75 661 2764  
workman@kdsjpn.co.jp  
kdsjpn.co.jp

#### LITHUANIA

Skaida-nf UAB  
A. Gostauto 8 - 0224  
LT - 01108 Vilnius  
Tel. +370 5 2613 443  
Fax +370 5 2613 443  
skaida.nf@mail.lt

#### LUXEMBOURG

A.V.U. by Breger S.à.r.l  
41a, Z.I. Kehlen  
L - 8287 Kehlen  
Tel. +352 / 48 99 51 50  
Fax +352 / 26 10 25 04  
Gsm +352/ 621 318 599  
hubert@breger.lu  
avu.lu

#### NETHERLANDS

Sortimo Nederland B.V.  
Nijverheidstraat 11  
NL - 2861 GX Bergambacht  
Tel. +31 182 356060  
Fax +31 182 356090  
info@sortimo.nl  
sortimo.nl

#### NORWAY

Sortimo A/S  
Ulvenveien 92 A  
N - 0581 Oslo  
Tel. +47 22 729270  
Fax +47 22 729272  
firmapost@sortimo.no  
sortimo.no

#### POLAND

MobilCar s.c.  
Dobrzeń 26  
PL - 56-410 Dobroszyce  
Tel. +48 71 3153532  
Fax +48 71 3153519  
sortimo@mobilcar.pl  
mobilcar.pl

#### ROMANIA

S.C. Total Idea SRL  
Str. Comisani nr. 18  
Sector 4  
RO - 042168 Bucuresti  
Tel. +4 0742 368 479  
george.anghelus@totalidea.ro  
auto-scule.ro

#### RUSSIA

Forward Service  
Ochakovskoe sh. 32  
RU - 119530 Moscow  
Tel. +7 495 2294476  
Fax +7 495 2294476  
info@sortimo.ru  
sortimo.ru

#### SERBIA

Sorti oprema d.o.o.  
Krajiška 21  
RS - 11080 Zemun  
Tel. +381 11 3076750  
Fax +381 11 3076752  
sortimo@giulicca.com  
sortimo.rs

#### SLOVAKIA

Technia spol s.r.o.  
Komárňanská cesta 72  
SK - 940 01 Nové Zámky  
Tel. +421 35 6921111  
Fax +421 35 6426443  
technia@technia.sk  
technia.sk

#### SLOVENIA

Sortimosi d.o.o.  
Gerbičeva 57  
1000 Ljubljana  
Tel. +386 (0)1 280 88 08  
Fax +386 (0)1 280 88 10  
sortimo@sortimo.si  
sortimo.si

#### SPAIN / PORTUGAL

Sortimo Ibérica  
Comercio y Servicios S.L.  
Ctra. M-106 km 2  
P.I. Garza 2 nave 29  
ES - 28110 Algete (Madrid)  
Tel. +34 902448899  
Fax +34 916289100  
info@sortimo.es  
sortimo.es

#### SOUTH KOREA

Rocky Co. Ltd.  
4 BL-4 LT Namdong  
Industrial Complex  
618-3 Namchon Dong  
Nandong-Gu  
KR - 405-846 Incheon  
Tel. +82 32 811 5500  
Fax +82 32 813 6670  
galanvr4@naver.com  
rocky.co.kr

#### SWEDEN

Sortimo AB  
Box 9173  
SE - 400 94 Göteborg  
Tel. +46 31 761 45 20  
Fax +46 31 77699 50  
info@sortimo.se  
sortimo.se

#### SWITZERLAND

Walter Rüegg AG  
Sortimo Zentrum  
Grabenackerstr. 1  
CH - 8156 Oberhasli  
Tel. +41 44 8525060  
Fax +41 44 8525070  
info@sortimo.ch  
sortimo.ch

#### TURKEY

DORSEER OTOMOTIV A.S.  
Cumhuriyet Mah. T.Özal CD.119/A  
Çayırova KOCAELI  
Tel. +90 262 658 1022  
Fax +90 262 658 1033  
info@dorser.com  
dorser.com

#### UKRAINE

Maison LLC  
18 Teplovozna Str.  
UKR - 02081 Kiev  
Tel. +380 44 3653020  
Fax +380 44 3653021  
chief@maison.com.ua  
maison.com.ua

#### USA / NORTH AMERICA

(Canada, USA, Mexico)  
Sortimo of North America, Inc.  
3055 Northwoods Cir  
US - Norcross, GA 30071  
Tel. 877 812 6994 (toll free)  
Tel. +1 404 8126994  
Fax +1 404 8129940  
info@sortimo.us  
sortimo.us



**WE ARE ALWAYS CLOSE BY!**  
**YOUR CONTACT WITH SORTIMO**

Call us free of charge in Germany on:  
 Tel. +49 8291 850-499  
 Fax +49 8291 850-269  
 Email: direct@sortimo.com  
 sortimo.com



# MORE INFORMATION

Simply fill out the form and fax it to Sortimo on +49 8291 850-269



Please send me further information and brochures free of charge:

- Mobile Assortments catalogue
- Original Accessories catalogue
- Sortimo HD catalogue
- Sortimo TopSystem catalogue
- I would like a consultation to find out more about Sortimo products.  
Please call me back to arrange an appointment with no obligation on:

I would like to subscribe to the Sortimo Newsletter free of charge.  
My Email address is: \_\_\_\_\_

\_\_\_\_\_  
Company name

\_\_\_\_\_  
Surname, first name

\_\_\_\_\_  
Street Postcode City

\_\_\_\_\_  
Tel. Fax

\_\_\_\_\_  
Email Line of business

\_\_\_\_\_  
Date Signatur

▶ **THANK YOU FOR YOUR INTEREST WE LOOK FORWARD TO HEARING FROM YOU!**

**Sortimo International GmbH**  
 Dreilindenstraße 5 • 86441 Zusmarshausen  
 Tel. +49 8291 850-499 • Fax +49 8291 850-269  
 sortimo.com



sortimo.com/catalogues

The entire collection, processing and utilisation of personal data is carried out in accordance with the relevant legal data protection provisions. You can access our data protection provisions under [sortimo-shop.de](http://sortimo-shop.de).

# VISIT US ONLINE

As market leader we offer a wide variety of services and information concerning van racking systems, as well as interactive quotations from our Sortimo customers from diverse industries – **naturally online too.**



**sortimo.com**

On our Website you can find further information regarding our products mentioned in the brochure.

Visit our Website and keep yourself informed!



For more information  
**sortimo.com**

Call us in Germany  
**+49 8291 850-499**



**Sortimo International GmbH**  
Dreilindenstraße 5  
86441 Zusmarshausen  
GERMANY  
Tel. +49 8291 850-499  
Fax +49 8291 850-269  
Email: [info@sortimo.com](mailto:info@sortimo.com)  
[sortimo.com](http://sortimo.com)

